

# LT86101UXS\_U3Q10CEN --- Product Brief

### HDMI2.0 TMDS Re-timer/Level Shifter

#### 1. Features

- Support 480P,720P,1080P,4K@30Hz as specified in HDMI1.4
- Support 4K@60Hz as specified in HDMI2.0
- Programmable input equalization up to 20dB
- Programmable output swing and de-emphasis
- DC/AC couple input capable
- Support input data channel swap (arbitrarily) and polarity inversion (independent)
- Support output channel swap (arbitrarily) and polarity inversion (independent)
- Input signal jitter cleaning
- Integrated DDC interception
- Support HDMI ID by DDC
- Support HDCP repeater
- Automatic power management
- 1.2V and 3.3V power supply

- Integrated 100k/400kHz I2C slave
- Low power consumption

#### 2. General Description

LT86101UXS\_U3Q10CEN is HDMI2.0 TMDS Re-timer/Level Shifter. It supports up to 6Gbps TMDS signal with programmable equalization and pre-emphasis for better jitter performance. Both DC/AC couple input signals are capable. LT86101UXS\_U3Q10CEN will automatically manager power consumption when source or sink is asserted or deserted. System control is also available through the use of a dedicated configuration I2C slave interface.

## 3. Applications

- PC Motherboards
- Docking Station
- Dongle




Figure 3.1 Application Diagram

## 4. Ordering Information

**Table 4.1 Ordering Information** 

Part Number	Product Status	Package	Bonding Wire	Grade	Operating Temperature Range	Stack Die Option	Packing Method	MPQ
LT86101UXS_U3Q10CEN	MP	QFN48(6*6)Saw	Cu	E	-40°C to +85°C	N	Tray	4900pcs




Figure 4.1 Part Number Naming Rules

LT86101UXS\_U3Q10CEN ADVANCE INFORMATION – CONFIDENTIAL AND PROPRIETARY

Copyright © 2022-2024 Lontium Semiconductor Corporation, All rights reserved.

#### **Lontium Semiconductor Proprietary & Confidential**

This document and the information it contains belong to Lontium Semiconductor. Any review, use, dissemination, distribution or copying of this document or its information outside the scope of a signed agreement with Lontium is strictly prohibited.

LONTIUM DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THOSE OF NONINFRINGEMENT, MERCHANTABILITY, TITLE AND FITNESS FOR A PARTICULAR PURPOSE. CUSTOMERS EXPRESSLY ASSUME THEIR OWN RISH IN RELYING ON THIS DOCUMENT.

LONTIUM PRODUCTS ARE NOT DESIGNED OR INTENDED FOR USE IN LIFE SUPPORT APPLIANCES, DEVICES OR SYSTEMS WHERE A MALFUNCTION OF A LONTIUM DEVICE COULD RESULT IN A PERSONAL INJURY OR LOSS OF LIFE.

Lontium assumes no responsibility for any errors in this document, and makes no commitment to update the information contained herein. Lontium reserves the right to change or discontinue this document and the products it describes at any time, without notice. Other than as set forth in a separate, signed, written agreement, Lontium grants the user of this document no right, title or interest in the document, the information it contains or the intellectual property in embodies.

#### **Trademarks**

Lontium™ 龙迅™ and ClearEdge™ is a registered trademark of Lontium Semiconductor. All other brand names, product names, trademarks, and registered trademarks contained herein are the property of their respective owners.

Visit our corporate web page at: www.lontiumsemi.com

Technical support: support@lontium.com

Sales: sales@lontium.com